References

Accad A, Neldner VJ, Wilson BA and Niehus RE (2008). *Remnant Vegetation in Queensland*. Analysis of remnant vegetation for the years 1997, 1999–2001, 2003 and 2005, including regional ecosystem information. Brisbane: Queensland Herbarium, Environmental Protection Agency.

Apan AA, Raine SR and Paterson MS (2002). Mapping and analysis of changes in the riparian landscape structure of the Lockyer Valley catchment, Queensland, Australia. *Landscape and Urban Planning*, 59:43–57.

Armour JD and Daniells JW (2001). Banana nutrition in north Queensland. Final Report FR95013 to Horticulture Australia Ltd.

Armour J, Hateley L and Pitt G (2009). Catchment modelling of sediment, nitrogen and phosphorus nutrient loads with SedNet/ANNEX in the Tully–Murray basin. *Marine and Freshwater Research*, 60:1091–1096.

Armston JD, Denham RJ, Danaher TJ, Scarth PF and Moffiet T (2009). Prediction and validation of foliage projective cover from Landsat-5 TM and Landsat-7 ETM+ imagery. *Journal of Applied Remote Sensing*, 3:033540.

Australian Bureau of Statistics (2006). 4651.0 Land Management: Fitzroy and Livingstone Shires, Queensland, 2004-05. Commonwealth of Australia.

Australian Bureau of Statistics (2009). 4619.0 Land Management Practices in the Great Barrier Reef Catchments, Preliminary, 2008–09. Commonwealth of Australia.

Australian Bureau of Statistics (2009). 4627.0 Land Management and Farming in Australia, 2007–2008. Commonwealth of Australia.

Ball D (2008). Mackay Whitsunday Biodiversity, Coast and Marine—State of the Region Series.

Bartley R, Roth CH, Ludwig J, McJanne D, Liedloff A, Corfield J, Hawdon A and Abbott B (2006). Runoff and erosion from Australia's tropical semi-arid rangelands: influence of groundcover for differing space and time scales. *Hydrological Processes*, 20:3317–3333.

Bastin G and ACRIS Management Committee (2008), Rangelands 2008—Taking the Pulse. Canberra: published on behalf of the ACRIS Management Committee by the National Land and Water Resources Audit.

Brodie J. (comp.) (2007). Nutrient Management Zones in the Great Barrier Reef Catchment: A Decision System for Zone Selection. Department of Environment and Heritage, Canberra.

Brodie J, Fabricius K, De'ath G and Okaji K (2005). Are increased nutrient inputs responsible for more outbreaks of crown-of-thorns starfish? An appraisal of the evidence. *Marine Pollution Bulletin* 51:266–278. Townsville, Australia.

Brodie J, Mitchell A and Waterhouse J (2009). Regional assessment of the relative risk of the impacts of broadscale agriculture on the Great Barrier Reef and priorities for investment under the Reef Protection Package. Stage 2 Report.

Carroll C, Halpin M, Burger P, Bell K, Sallaway MM and Yule DF (1997). The effect of crop type, crop rotation, and tillage practice on runoff and soil loss on a Vertisol in central Queensland. *Australian Journal of Soil Research*, 35:925–939. doi: 10.1071/S96017.

Carroll, C, Merton, L, Burger, P (2000). Impact of vegetative cover and slope on runoff, erosion and water quality for field plots on a range of soil and spoil materials on central Queensland coal mines. *Australian Journal of Soil Research*, 38:3131–327.

Chilcott C, Sandral C, Whish G and Paton C (2007). Meat and Livestock Australia (MLA) Grazing Land Management—Mackay Whitsunday Version. Workshop notes. Meat and Livestock Australia Ltd, Brisbane, Australia.

Cogle AL, Carroll C and Sherman BS (eds) (2006). The use of SedNet and ANNEX models to guide Great Barrier Reef catchment sediment and nutrient target setting. Supplement. Queensland Department of Natural Resources Mines and Water.

Connolly RD, Carroll C, Frances J, Silburn DM, Simpson B and Freebairn DM (1999). A simulation study of erosion in the Emerald Irrigation Area. Australian Journal of Soil Research 37, 479–494.

Connolly RD, Ciesiolka CAA, Silburn DM and Carroll C (1997). Distributed hydrology model (ANSWERS) applied to a range of catchment scales using rainfall simulator data. IV. Evaluating pasture catchment hydrology. *Journal of Hydrology*, 201:311–328.

Connolly RD, Silburn DM and Freebairn DM (2002). Transport of sediment and pesticides in surface water. In: '2002 Environmental Protection and Risk Assessment of Organic Contaminants'. (Eds: R Kookana, R Sadler, N Sethunathan and R Naidu). pp.147–171. Science Publishers, Inc.: Enfield, New Hampshire, USA.

Cullum RF, Knight SS, Cooper CM and Smith S (2006). Combined effects of best management practices on water quality in oxbow lakes from agricultural watersheds. *Soil and Tillage Research* 90, 212–221.

De Vantier LM, De'ath G, Turak E, Done TJ and Fabricius, KE (2006). Species richness and community structure of reef-building corals on the nearshore Great Barrier Reef coral reefs. *Coral Reefs* 25, 329–340.

Department of Employment, Economic Development and Innovation (2011) Grazing management practices framework. Brisbane, Australia.

Department of Environment and Resource Management, Remote Sensing Centre, Division of Environment and Resource Sciences, (2009a). Land cover change in Queensland 2007–2008: A Statewide Landcover and Trees Study (SLATS) Report, viewed 16 May 2010, <www.derm.qld.gov. au/slats/report.html>.

Department of Environment and Resource Management, Regional natural resource management bodies, (2009b), viewed 11 June 2010, <www.regionalnrm.qld.gov.au/my_region/index.html>.

Department of Environment and Resource Management, Remote Sensing Centre, Division of Environment and Resource Sciences (2008), Queensland Land Use Mapping Program, viewed 16 May 2010, <www.derm.gld.gov.au/science/lump/index.html>.

Department of the Premier and Cabinet (2008). Scientific consensus statement on water quality in the Great Barrier Reef. Brisbane, Australia. Department of the Premier and Cabinet (2009). Reef Water Quality Protection Plan 2009. Reef Water Quality Protection Plan Secretariat, Brisbane, Australia. <www.reefplan.qld.gov.au/library/pdf/reef-plan-2009.pdf>. Devlin M. and Brodie J (2005). Terrestrial discharge into the Great Barrier Reef Lagoon: Nutrient behaviour in coastal waters. *Marine Pollution*

Bulletin 51(1-4):9-22.

Devlin M, Waterhouse J, Taylor J, Brodie J (2001). Flood plumes in the Great Barrier Reef: spatial and temporal patterns in composition and distribution. Great Barrier Reef Marine Park Authority Research Publication No 68. Great Barrier Reef Marine Park Authority, Townsville, Australia.

Dight I (2009). Draft Burdekin Water Quality Improvement Plan: better water for the Burdekin, NQ Dry Tropics. Burdekin Solutions Ltd., Townsville, Australia.

Eames H and Collins R (2010). Industry Report (Great Barrier Reef Catchment)—Grains Best Management Practices 2008–2009, Department of Employment, Economic Development and Innovation, Rockhampton, Australia.

Environmental Protection Agency (2008). 2007 Water Quality Report. Great Barrier Reef catchments and inshore ecosystems. Brisbane, Australia.

Environmental Protection Agency (EPA) (2005). Wetland Mapping and Classification Methodology – Overall Framework – A Method to Provide Baseline Mapping Classification for Wetlands in Queensland. Version 1.2, Queensland Government, Brisbane, Australia. (<www.epa.qld.gov.au/ wetlandinfo/resources/static/pdf/MappingMethod/p01769aa.pdf>)

Evans J (2010). Great Barrier Reef-wide sugarcane ABCD management practice descriptions 2008–2009. Great Barrier Reef-wide Sugar Working Group Meeting. Canegrowers Ltd, Brisbane, Australia.

Fabricius KE and De'ath G (2004). Identifying ecological change and its causes: a case study on coral reefs. *Ecological Applications*. 14:1448–1465.

Fabricius K, De'ath G, McCook L, Turak E and Williams DM (2005). Changes in algal, coral and fish assemblages along water quality gradients on the inshore Great Barrier Reef. *Marine Pollution Bulletin*, 51:384–398.

Finlayson B and Silburn DM (1996). Soil, nutrient and pesticide movements from different land use practices and subsequent transport by rivers and streams. pp.129–140. In: 'Downstream Effects of Land Use', (HM Hunter, AG Eyles, GE Rayment, eds), Department of Natural Resources, Queensland, Australia.

Freebairn DM, Loch RJ and Silburn DM (1996). Soil erosion and soil conservation for vertisols. *Developments in Soil Science*, 24:303–362.

Furnas, M and Brodie, J (1996). *Current status of nutrient levels and other water quality parameters in the Great Barrier Reef*. In: Hunter, HM et al. (eds). Proceedings of the Conference on the Downstream Effects of Land Use, 26–28 April, 1995, Rockhampton, Australia. pp.9–21.

Furnas M (2003). Catchments and Corals: Terrestrial Runoff to the Great Barrier Reef. Australian Institute of Marine Science, Townsville, Australia.

Garbrecht JD and Starks PJ (2009). Watershed sediment yield reduction through soil conservation in a West-Central Oklahoma watershed. *Ecohydrology* 2:313–320. DOI: 10.1002/eco.55.

Garside AL and Bell MJ (2001). Fallow legumes in the Australian sugar industry: Review of recent research findings and implications for the sugarcane cropping system. In: Proceedings from the Australian Society of Sugarcane Technologists Conference, May 2001, Mackay, Queensland. GHD (2010a). Canegrowers Report for Sugar Cane Land Management Practices Baseline Study Great Barrier Reef-wide report. GHD, Brisbane, Australia.

GHD (2010b). Canegrowers Report for Sugar Cane Land Management Practices Baseline Study Northern region. GHD, Brisbane, Australia.

GHD (2010c). Canegrowers Report for Sugar Cane Land Management Practices Baseline Study Burdekin region. GHD, Brisbane, Australia. GHD (2010d). Canegrowers Report for Sugar Cane Land Management

Practices Baseline Study Central region. GHD, Brisbane, Australia. GHD (2010e). Canegrowers Report for Sugar Cane Land Management

Practices Baseline Study Great Barrier Reef Southern region. GHD, Brisbane, Australia.

Great Barrier Reef Marine Park Authority (2009). *Great Barrier Reef Outlook Report 2009*. Great Barrier Reef Marine Park Authority, Townsville, Australia.

Geoscience Australia (2009). Queensland Drainage 100K, Department of Environment and Resource Management SIRQRY database, <www.ga.gov.au/topographic-mapping/>.

Goetz SJ, Wright RK, Smith AJ, Zinecker E and Schaub E (2003). IKONOS imagery for resource management: Tree cover, impervious surfaces, and riparian buffer analysis in the mid-Atlantic region. *Remote Sensing of the Environment*, 88:195–208. Gordon A, Reid A, Shepherd RN, Vitelli M (2005). A survey of Dalrymple Shire graziers grazing land management practices 1994 to 2004. Dalrymple Landcare Committee Inc. Queensland. Australia.

Gordon IJ (2007). Linking land to ocean: feedbacks in the management of socio-ecological systems in the Great Barrier Reef catchments. *Hydrobiologia*, 591:25–33.

Great Barrier Reef Marine Park Authority (2009). Water Quality Guidelines for the Great Barrier Reef Marine Park. Townsville, Queensland.

Higham W, Eberhard R, Waterhouse J, Mitchell C, Freebairn D and Hamilton G (2009). Paddock scale monitoring and modelling for Reef Rescue Plan. Reef Catchments, Mackay, Australia.

Hutchings P and Haynes D (2005). Marine Pollution Bulletin Special Edition Editorial. *Marine Pollution Bulletin*, 51:1–2.

Johnson AKL, Ebert SP and Murray AE (1999). Distribution of coastal freshwater wetlands and riparian forests in the Herbert River Catchment and implications for management of catchments adjacent to the Great Barrier Reef Marine Park. Environmental Conservation, 26 (3):229–253.

Joo M, Raymond M and Huggins R (In prep). Assessment of sediment and nutrient concentrations under different flow conditions for the Great Barrier Reef catchments. Department of Environment and Resource Management, Brisbane, Australia.

Keating BA, Carberry PS, Hammer GL, Probert ME, Robertson MJ, Holzworth D, Huth NI, Hargreaves JNG, Meinke H, Hochman Z, McLean G, Verburg K, Snow V, Dimes JP, Silburn M, Wang E, Brown S, Bristow KL, Asseng S, Chapman S, McCown RL, Freebairn DM and Smith CJ (2003). An overview of APSIM, a model designed for farming systems simulation. *European Journal of Agronomy* 18:267–288.

Klemas VV (2001). Remote Sensing of Landscape-Level Coastal Environmental Indicators. *Environmental Management*, 27:47–57.

Knight AW, Tindall, DR and Wilson, BA (2009). A multi-temporal multiple density slice method for wetland mapping across the state of Queensland, Australia. *International Journal of Remote Sensing*, 30(13). pp.3365–3392.

Kroon F, Kuhnert K, Henderson B, Henderson A, Turner R, Huggins R, Wilkinson S, Abbott B, Brodie J and Joo M (2010). Baseline Pollutant loads to the Great Barrier Reef. CSIRO: Water for a Healthy Country Flagship Report series. Australia.

Kuhnert PM, Wang Y-G, Henderson B, Stewart L and Wilkinson S. (2009). Statistical methods for the estimation of pollutant loads from monitoring data, Final Project Report for the Marine and Tropical Science Research Facility (MTSRF) Project 3.7.7. <www.rrrc.org.au/publications/ downloads/377-CSIRO-Kuhnert-P-et-al-2009-Statistical-methods-forestimating-pollutant-loads.pdf>.

Leonard RA, Langdale GW, Fleming WG (1979). Herbicide runoff from upland piedmont watersheds—data implications for modeling pesticide transport. *Journal of Environmental Quality* 8:223–229.

Lewis SE, Brodie JE, Bainbridge ZT, Rohde KW, Davis AM, Masters BL, Maughan M, Devlin MJ, Mueller JF, Schaffelke B (2009). Herbicides: A new threat to the Great Barrier Reef. *Environmental Pollution*, 157:2470–2484.

Li Y, Tullberg JN and Freebairn DM (2001). Traffic and residue cover effects on infiltration. *Australian Journal of Soil Research*, 39:239–247.

Lovett S and Price P (2001). Managing Riparian Lands in the Sugar Industry: A Guide to Principles and Practices, Sugar Research and Development Corporation/Land and Water Australia. Brisbane, Australia.

Masters B, Rohde K, Gurner N, Higham W and Drewry J (2008). Sediment, nutrient and herbicide run-off from cane farming practices in the Mackay Whitsunday region: field based rainfall simulation study of management practices. Queensland Department of Natural Resources and Water for the Mackay Whitsunday Natural Resource Management Group, Mackay, Queensland.

McIvor JG, Williams J and Gardener CJ (1995). Pasture management influences runoff and soil movement in the semi-arid tropics. *Australian Journal of Experimental Agriculture* 35(1):55–65.

McJannet DL (2007). Towards an understanding of the filter function of tropical wetlands: Lessons from temperate locations, development of a conceptual model and design of a field monitoring strategy. CSIRO: Water for a Healthy Country National Research Flagship.

McKergow LA, Prosser IP, Grayson RB and Heiner D (2004). Performance of grass and rainfall riparian buffers in the wet tropics, Far North Queensland 2. Water Quality. *Australian Journal Soil Research*, 42:485–498. McKergow LA, Prosser IP, Hughes AO and Brodie J (2005b). Regional scale nutrient modelling: exports to the Great Barrier Reef World Heritage Area. *Marine Pollution Bulletin*, 51:186–199.

Meat and Livestock Australia (2010). Environmental practices amongst beef and sheep producers within the reef catchments of Queensland. Report prepared by Solutions Marketing & Research Pty Ltd, Neutral Bay, NSW.

Miles RL (1993). Soil degradation processes in a semi arid woodland. PhD thesis, Griffith University, Australia.

Mitchell A, Reghenzani J, Furnas M, Brodie J and Lewis S (2007). Nutrients and suspended sediments in the Tully River: Spatial and temporal trends. Australian Centre for Tropical Freshwater Research Report. No. 06/10. James Cook University, Townsville, Australia. 115pp. Mitchell A, Reghenzani J and Furnas M (2001). Nitrogen levels in the Tully River—a long term view. *Water Science and Technology*, 43:99–105. Montreal Process Implementation Group for Australia (2008). Australia's

State of the Forests Report Five-yearly report, 2008. Neilsen S, Dougall C, Stevens S, Burger P and Carroll C (2010). Draft Focus Neighbourhood Catchment Technical Report—Part A. A comparison of runoff and constituent generation under grazing and differing zero-till farming methods on two soil types in the Fitzroy Basin. Department of Environment and Resource Management, Queensland, Australia.

Neldner VJ, Wilson BA, Thompson EJ and Dillewaard, HA (2005). *Methodology for Survey and Mapping of Regional Ecosystems and Vegetation Communities in Queensland*. Version 3.1. Brisbane, Queensland Herbarium, Environmental Protection Agency: p.128.

Nelson B and Smith D (2005). Belyando Suttor grazing land management pilot project: NHT Extension BD IFA03: property level rangeland grazing targets for the northern Brigalow Belt bioregion within the Burdekin catchment. Queensland Department of Primary Industries and Burdekin Dry Tropics Board.

O'Reagain PJ, Brodie J, Fraser G, Bushell JJ, Holloway CH, Faithful JW and Haynes D (2005). Nutrient loss and water quality under extensive grazing in the upper Burdekin River catchment, North Queensland. *Marine Pollution Bulletin* 51:37–50.

Packett R, Dougall C, Rohde K and Noble R (2009). Agricultural lands are hot-spots for annual runoff polluting the southern Great Barrier Reef lagoon. *Marine Pollution Bulletin*, 58, 976–986.

Post D, Bartley R, Corfield J, Nelson B, Kinsey-Henderson A, Hawdon A, Gordon I, Abbott, B, Berthelsen S, Hodgen M, Keen R, Kemei J, Vleeshouwer J, MacLeod N and Webb M (2006). *Sustainable grazing for a healthy Burdekin catchment*. CSIRO Land and Water Science Report. Sydney, Australia.

Pressland AJ and Graham TWG (1989). Approaches to the restoration of rangelands—the Queensland experience. *Australian Rangeland Journal*, 11(2):101–109.

Proceedings of the Australian Society of Sugarcane Technologists, 23:230–235.

Prove BG, Doogan VJ and Truong PNV (1995). Nature and magnitude of soil erosion in sugarcane and on the wet tropical coast of north-eastern Queensland. *Australian Journal of Experimental Agriculture*, 35:641–649.

Prove BG, Moody PW and Reghenzani JR (1997). Nutrient balances and transport from agricultural and rainforest lands: a case study in the Johnstone River Catchment. Final Project Report, Project No. DAQ3S. LWRRDC Final Report (SRC1). Queensland Department of Natural Resources, Brisbane, Australia. (Sugar Research and Development Corporation/LWRRDC).

Rattray DJ, Silburn DM, Freebairn DM and McClymont D (2004). Modelling soil and management effects on herbicide runoff from dryland agriculture. Paper 692. In: ISCO 2004 'Conserving Soil and Water for Society: Sharing Solutions', 13th International Soil Conservation Organisation Conference, Brisbane, July 2004. (Eds: SR Raine, AJW Biggs, NW Menzies, DM Freebairn, PE Tolmie) (ASSSI/IECA: Brisbane). Rattray DJ, Standley J, Silburn DM, Freebairn DM and Spann KP (2007). Where does atrazine go when applied to a black Vertosol? *Australian Journal Soil Research* 45(8):598–606.

Rayment G (2002). Water quality pressures and status in sugar catchments (Exposure Draft). Cooperative Research Centre for Sustainable Sugar Production, Sugar CRC/natural resource management, Indooroopilly, Australia.

Rayment GE and Bloesch PM (2006). Phosphorus fertility assessment of intensively farmed areas of catchments draining to the Great Barrier Reef World Heritage Area; 1: soil phosphorus status. *Communications in Soil Science and Plant Analysis* 37:2249–2264.

Reghenzani JR and Armour JD (2000). Management to minimize nutrient export from canelands. In: 'Environmental short course for sustainable sugar production.' (Eds. Bruce C, Johnston M and Rayment GE). CRC for Sustainable Sugar Production, James Cook University, Townsville, Australia. pp.117–122.

Renard K, Foster G, Weesies G, McCool D and Yoder D (1997). Predicting soil erosion by water: A guide to conservation planning with the Revised Universal Soil Loss Equation (RUSLE). Agriculture Handbook. No. 703. U.S. Department of Agriculture.

Rohde K and Yule D (2003). Soil compaction and Controlled Traffic. International Soil Tillage Research Organisation (ISTRO) 16th Triennial Conference, Brisbane, Australia, 13–18 July 2003. pp.1020–1027. University of Queensland, Brisbane, Australia.

Scanlan JC, Pressland AJ and Myles DJ (1996). Run off and soil movement on mid-slopes in north-east Queensland grazed woodlands. *Rangeland Journal*, 18:33–46.

Scarth PF, Gillingham S and Muir J (2008). Assimilation of spectral information and temporal history into a statewide woody cover change classification. In: Proceedings of the 14th Australasian Remote Sensing and Photogrammetry Conference, Darwin, Australia, October 2008.

Scarth P, Byrne M, Danaher T, Henry B, Hassett R, Carter J and Timmers P (2006). *State of the paddock: monitoring condition and trend in groundcover across Queensland*. In: Proceedings of the 13th Australasian Remote Sensing Conference, November 2006, Canberra, Australia.

Schmidt M, Tindall D, Speller K, Scarth P and Dougall C (2010) 'Groundcover monitoring with satellite imagery in agricultural areas and improved pastures' 2010. DERM Report on behalf Bureau of Rural Sciences, Department of Agriculture, Fisheries and Forestry, Canberra, Australia.

Schroeder BL, Wood AW, Moody PW, Bell MJ and Garside AL (2005). Nitrogen fertiliser guidelines in perspective. *Proceedings of the Australian Society of Sugarcane Technologists*, 27:291–304.

Schroeder BL, Wood AW, Sefton M, Hurney AP, Skocaj DM, Stainlay T and Moody, PW (2010). District yield potential: An appropriate basis for nitrogen guidelines for sugarcane production. *Proceedings of the Australian Society of Sugarcane Technologists*, 32:193–209.

Sherman BS, Brodie JE, Cogle, AL and Carroll C. (2007). Appropriate use of catchment models for water quality target setting and land-use management. In: *Water quality and Sediment Behaviour of the Future: Predictions for the 21st Century.* IAHS Publication 314, IAHS Press.

Silburn DM (2003). Characterising Pesticide Runoff from Soil on Cotton Farms using a Rainfall Simulator. Unpublished Ph.D, Faculty of Agriculture, Food and Natural Resources, University of Sydney, Australia.

Silburn DM and Glanville SF (2002). Management practices for control of runoff losses from cotton furrows under storm rainfall. I. Runoff and sediment on black Vertosol. *Australian Journal of Soil Research*, 40(1): 1–20.

Silburn DM and Kennedy IR (2007). Rain simulation to estimate pesticide transport in runoff. pp.120–135. In: Rational Environmental Management of Agrochemicals: Risk Assessment, Monitoring and Remedial Action. ACS Symposium Series No. 966. (Eds: IR Kennedy, KR Soloman, SJ Gee, AN Crossan, S Wang and F Sanchez-Bayo). Washington, DC, United States of America.

Silburn DM, Carroll C, Ciesiolka CAA, deVoil RC and Burger P (in press). Hillslope runoff and erosion on duplex soils in grazing lands in semi-arid Central Queensland I. Influences of cover, slope and soil. Accepted by *Australian Journal of Soil Research*.

Silburn DM, Simpson BW and Hargreaves PA (2002). Management practices for control of runoff losses from cotton furrows under storm rainfall. II. Transport of pesticides in runoff. *Australian Journal of Soil Research*, 40(1):21–44.

Simpson BW (2007). Lessons for achieving effective management from field research on agrochemicals. pp.338–359. In: Rational Environmental Management of Agrochemicals: Risk Assessment, Monitoring and Remedial Action. ACS Symposium Series No. 966. (Eds: IR Kennedy, KR Soloman, SJ Gee, AN Crossan, S Wang and F Sanchez-Bayo). Washington, DC, United States of America.

Specht RL and Morgan DG (1981). The balance between the foliage projective covers of overstorey and understorey strata in Australian vegetation. *Australian Journal of Ecology*, 6:193–202.

Strahan R and Hoffman A (2009). Estimating the economic implications for broad acre cropping farms in the Fitzroy Basin catchments of adoption of best management practices. Department of Employment, Economic Development and Innovation, Queensland, Australia.

Thomas GA, Titmarsh GW, Freebairn DM and Radford BJ (2007). No-tillage and conservation farming practices in grain growing areas of Queensland—a review of 40 years of development. *Aus J Exp Ag*, 47:887–898.

Thompson A, Davidson J, Schaffelke B and Sweatman, H (2010). *Final report of AIMS Activities 2009–2010 Inshore coral reef monitoring*. AIMS, Townsville, Australia. 95pp.

Thompson A and Dolman A (2010). Coral Bleaching: one disturbance too many for near-shore reefs of the Great Barrier Reef. Coral Reefs.

Thorburn P, Attard S, Anderson T, Davis M, Kemei J, Shannon E, Milla R, van Greiken M, Davis A and Brodie J (2009). Adopting systems approaches to water and nutrient management for future cane production in the Burdekin. Final Report for the Sugar Research and Development Corporation, Research Project CSE012. CSIRO Sustainable Ecosystems, Brisbane, Australia.

Thorburn PJ, Biggs JS, Collins K, Probert ME (2010). Using the APSIM model to estimate nitrous oxide emissions from diverse Australian sugarcane production systems. Agriculture, Ecosystems and Environment 136 (2010) 343–350.

Tullberg JN, Yule DF and McGarry D (2007). Controlled traffic farming— From research to adoption in Australia. *Soil and Tillage Research*, 97:272–281.

Tullberg JN, Ziebarth PJ and Li Yuxia (2001). Tillage and traffic effects on runoff. *Australian Journal of Soil Research*, 39:249–257.

Udy JW, Dennison W, Lee Long W and McKenzie L (1999). Responses of seagrasses to nutrients in the Great Barrier Reef, Australia. *Marine Ecological Progress Series*, 185:257–271.

USDA-NRCS (2000). Conservation Buffers to Reduce Pesticide Losses United States. Department of Agriculture Natural Resources Conservation Service (USDA-NRCS) National Water and Climate Center and the United States Environmental Protection Agency (USEPA) Office of Pesticide Programs.

Van Grieken ME, East M, Poggio M and Page J (2010c). Economic modelling of cane farming systems in the Wet Tropics, Mackay Whitsunday and Burdekin catchments. Reef Rescue Monitoring and Evaluation Paddock to Reef program. A Report to Reef Catchments natural resource management. CSIRO: Water for a Healthy Country National Research Flagship.

Van Grieken ME, Webster AJ, Coggan A, Thorburn P and Biggs J (2010a). Agricultural Management Practices for Water Quality Improvement in the Great Barrier Reef Catchments. A report to the Marine and Tropical Science Research Facility. CSIRO: Water for a Healthy Country National Research Flagship.

Van Grieken ME, Webster AJ, Poggio M, Thorburn P, Biggs J, Stokes C and McDonald C (2010b). Implementation costs of Agricultural Management Practices for Water Quality Improvement in the Great Barrier Reef Catchments. A report to the Marine and Tropical Science Research Facility. CSIRO: Water for a Healthy Country National Research Flagship.

Van Woesik R, Tomascik T and Blake T (1999). Coral assemblages and the physico-chemical characteristics of the Whitsunday Islands: evidence of recent community changes. *Marine and Freshwater Research*, 50:427–440.

Veitch V and Sawynok B (2005). Freshwater Wetlands and Fish: Importance of Freshwater Wetlands to Marine Fisheries Resources in the Great Barrier Reef, Sunfish, Queensland, Australia.

Vitelli M (2010). Grazing industry benchmarking report for catchments draining into the Great Barrier Reef Lagoon. AgForce Queensland, Brisbane, Queensland.

Wallace S (2010). Reef Rescue Horticulture Great Barrier Reef Catchment Baseline Data 2008–2009. Growcom Australia, Brisbane, Queensland.

Wang Y-G, Kuhnert PM, Henderson B and Stewart L (2009). Reporting credible estimates of river loads with uncertainties in Great Barrier Reef catchments. In: Anderssen, RS, RD Braddock and LTH Newham (eds), 18th World IMACS Congress and MODSIM09 International Congress on Modelling and Simulation. Modelling and Simulation Society of Australia and New Zealand and International Association for Mathematics and Computers in Simulation, July 2009, pp.4262–4268. <<www.mssanz.org. au/modsim09/l4/wang_y-g.pdf>.

Waters D (2001). Best Management Practices to Minimise Pollutant Transport from Cotton Production Systems. Final report to Cotton Research and Development Corporation. Department of Natural Resources and Mines, Brisbane, Australia.

Waters DK (2004). Grazing management implications on runoff and erosion processes in semi-arid Central Queensland. In: 'Conserving Soil and Water for Society: Sharing Solutions. Proceedings 13th International Soil Conservation Organisation Conference'. Brisbane, 2004. (Eds: SR Raine, AJW Biggs, NW Menzies, DM Freebairn and PE Tolmie), Paper 427. (ASSSI/IECA: Brisbane).

Wilkinson SN, Henderson A, Chen Y and Sherman, BS (2004). SedNet: User Guide Version 2.0.0 (Client Report for the Cooperative Research Centre for Catchment Hydrology). Canberra: CSIRO.

Yang, X (2007). Integrated use of remote sensing and geographic information systems in riparian vegetation delineation and mapping. *International Journal of Remote Sensing*, 28:353–370.

Reef Water Quality Protection Plan









www.reefplan.qld.gov.au